




IPV SERIES FULLY AUTOMATIC INLINE PRESSURE FORMER



STANDARD IPV MACHINE SHOWN.
FILM UNWIND STATION AND SCRAP REWIND STATION NOT SHOWN.

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@www.starviewpackaging.com

IPV SERIES

FULLY AUTOMATIC INLINE PRESSURE FORMER

YOUR MARKET ... OUR SOLUTIONS

Starview's **IPV Series** pressure formers are high-speed, servo-driven and quick change over machines designed for large-scale OEM and custom former applications. Designed with the user in mind these machines provide total process control and maximum flexibility. The **IPV Series** use pressure and/or vacuum to produce the highest possible quality finished parts. They will process all thermoforming grade materials including PVC, HIPS, PET, PP, HDPE, OPS, etc. The **IPV Series** is offered in a standard form area of 25" x 25".

For machines to produce larger formed parts or higher production rates request information on **IPV Series** units with larger forming areas.

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- Operates continuously from roll fed films. Automatic film roll lift with powered film unwind for ease of operation.
- Upper and lower 3-stage infrared radiant heater panels for fast and uniform sheet heating.
- High pressure hydraulic four-post trim press with standard trim die heater for clean cuts at lower cutting forces.
- Standard up-stacking or optional down-stacking to conveyor for efficient finished product removal.
- Automatic scrap winder. Scrap bale can be removed while machine is in operation for uninterrupted production.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

IPV SERIES SPECIFICATIONS

	IPV-2525
Forming Area:	25" x 25"
Cooling blowers:	Standard
Vacuum pump:	Standard
Water cooled base:	Standard
Plug/Grid assist:	Standard
Adjust film width:	Standard
Average cycle speed:	Variable 1 - 15 on average
Max. form height:	12.0" x 12.0"
Maximum downward part draw:	4.7"
Maximum upward part draw:	4.7"
Electrical:	460-480 Volts / 3 PH / 120 Amps

Specifications and model availability are subject to change without notice.

REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

